



Idaho Division of Building Safety Adopted Codes – Effective 1 January 2015

Building Codes:

- 2012 International Building Code
 - 2012 International Residential Code parts I, II, IV and IX
 - 2012 International Energy Conservation Code
 - 2012 International Existing Building Code
 - IDAPA 07.03.01 - RULES OF BUILDING SAFETY, Idaho administrative rules amending the above codes. There are significant changes to the energy conservation provisions for 1 & 2 family dwellings. http://dbs.idaho.gov/rules/2015/2015_BB_Statutes_Rules_pkt.pdf
- Free read only access to the code at <http://publicecodes.cyberregs.com/icod/index.htm>

Plumbing Code:

- Idaho State Plumbing Code based on the 2009 Uniform Plumbing Code
- Free read only access at <http://www.iapmo.org/Pages/IdahoPlumbingCode.aspx>
- Rules Governing Plumbing Safety IDAPA 07.02.02-07.02.07
- The "Cross Connection Control Manual" published by the Pacific Northwest Section of the American Water Works Association (December, 1995 6th Edition) as listed in IDAPA 07.02.04.012.01. http://dbs.idaho.gov/rules/2015/2015_PB_Statutes_Rules_pkt.pdf

Electrical Code:

- 2014 National Electrical Code, including amendments as listed in IDAPA 07.01.06.
 - IDAPA Electrical Administrative Rules - 07.01.01 – 07.01.11
- http://dbs.idaho.gov/rules/2015/2015_ELE_Statutes_Rules_pkt.pdf

Mechanical Codes:

- 2012 International Mechanical Code – IDAPA rule 07.07.01.004
 - 2012 International Fuel Gas Code – IDAPA rule 07.07.01.005
 - 2012 International Residential Code Parts V & VI – IDAPA rule 07.07.01.006
- The rules are located on pages 18 through 21 at the following link:
http://dbs.idaho.gov/rules/2015/2015_HVAC_Statutes_Rules_pkt.pdf

Elevator Code:

- ANSI/ASME A17.1 2010, Safety Code for Elevators and Escalators with the following exceptions: i. Compliance with section 2.8.3.3.2 shall require that the means for disconnecting the main power as required by this section to be within sight of controller. ii. Compliance with section 8.11.2.1.5(c) Car and Counterweight Buffer testing shall be conducted at slow speed in accordance with Item 5.9.2.1(a) in ANSI/ASME A17.2 2007. iii. Compliance with Section 2.2.2.5, which requires a sump pump or drain in the elevator pit, shall be optional. If a sump pump or drain is installed, it shall meet the requirements of this section. A sump with a cover shall be provided in each elevator pit.
- ANSI/ASME A17.2 2007 Guide for Inspection of Elevators, Escalators, & Moving Walks.
- ANSI/ASME A17.3 2008 Safety Code for Existing Elevators and Escalators.
- ANSI/ASME A17.4 1999 Guide for Emergency Personnel.
- ANSI/ASME A17.5 2004 Elevator and Escalator Electrical Equipment.
- ANSI/ASME A17.6 2010 Standard for Elevator Suspension, and Governor Systems.
- ANSI/ASME A17.7 2007 Performance-based Safety Code for Elevators and Escalators.
- ANSI/ASME A18.1 2008 Safety Standards for Platform Lifts and Chairlifts.
- ASME QEI-1 2010 Standard for the Qualification of Elevator Inspectors.
- ICC 117.1 – 2003 Accessible and Usable Buildings and Facilities (IBC uses 2009 edition)
- IDAPA 07.04.02 http://dbs.idaho.gov/rules/2015/2015_Elev_Statutes_Rules_pkt.pdf

Fire Code (administered by the State Fire Marshal):

- 2012 Idaho Fire Code, see <http://www.doi.idaho.gov/sfm/firemars.aspx>
- Free read only access to the code at
http://www.ecodes.biz/ecodes_support/Free_Resources/Idaho09/Idaho09_main.html